


Complex Data Model – Expanded with Data



Abbreviation Reference

- **DD = Data Details** – The Details about the data such as Column Titles.
- **ER = Expected Results** – The data you anticipate will be found in the application under test.
- **RC = Row Count** – The total number of row of data.
- **CC = Column Count** - The total number of rows of data.
- **RR = Row Result** - Set to TRUE if all validation results for row are TRUE else FAIL if any validation result for row is FAIL.
- **VR = Validation Results** – The result of comparing the Validation Candidate against the Expected Result.
- **TOR = Total Overall Result** - Set to TRUE if all row result entries are TRUE else FAIL if any row result is FAIL.
- **TOV = Total Overall Validations** – Total number of validations completed. (Excluding TC = FALSE columns)
- **ETB = Execution Time Begin** – The Epoch time the Complex Data process began.
- **ETC = Execution Time Complete** – The Epoch time the Complex Data process completed.
- **ETE = Execution Time Elapsed** – The total time (HH:MM:SS) the Complex Data process was utilized. (Based on ETB and ETC)
- **VC = Validation Candidate** – The data derived from the application under test.
- **TIK = Table Index Key** – A value utilized to locate specific rows of data and derived from the WebTableDiscovery function.
- **TC = Test Candidate** – TRUE = validate column, FALSE = don't validate this column, PREVAL = Column contents have been pre-validated.